

17.0 REFERENCES

17.1 LITERATURE CITED

- Adamus, P. R., L. T. Stockwell, F. J. Clarain, Jr., M. E. Morrow, L. E. Rozas, and R. D. Smith. 1991. Wetland Evaluation Technique (WET), Volume I: Literature Review and Evaluation Rationale. Wetlands Research Program Technical Report WRP-DE-2. Vicksburg, MS: U.S. Army Corps of Engineers, Waterways Experiment Station.
- Admiraal, W., and H. Peletier. 1980. Influence of seasonal variations of temperature and light on growth rate of cultures and natural populations of intertidal diatoms. *Mar. Ecol. Prog. Ser.* 2:35-43.
- Amspoker, M. C., and C. D. McIntire. 1986. Effects of sedimentary processes and salinity on the diatom flora of the Columbia River estuary. *Botanica Marina* 29:391-399.
- Angeloff, N., L. Heald, W. Rich, B. Weber, J. Roscoe, and M. Atkins. 2004. A cultural resources overview and inventory of selected parcels of the U. S. Fish and Wildlife Service Humboldt Bay National Wildlife Refuge, Lanphere Dunes and proposed Ma-le'l Unit, located in Humboldt County, California. Prepared for Humboldt Bay National Wildlife Refuge, Loleta, CA.
- Barnhart, R. A., M. J. Boyd, and J. E. Pequegnat. 1992. The ecology of Humboldt Bay, California: an estuarine profile. U.S. Fish and Wildlife Service Biological Report 1.
- Bartoldus, C. 2000. The process of selecting a wetland assessment procedure: steps and considerations. *Wetland Journal* 12(4). Available from Environmental Concern at URL: <http://www.wetland.org/jrnback.html> (viewed January 2006).
- Bormann, F. H., and G. E. Likens. 1979. Pattern and process in a forested ecosystem: disturbance, development, and the steady state based on the Hubbard Brook Ecosystem Study. Springer-Verlag, New York.
- Bottom, D. L. 1999. Managing for salmon as if the ocean mattered. In: G. Brisbal (ed.), *Symposium on ocean conditions and management of Columbia River Salmon; proceedings of the July 1, 1999, symposium in Portland, Oregon.* Northwest Power and Conservation Council, Portland, Oregon. Available online at URL: http://www.nwcouncil.org/library/ocean/08_managing.htm (viewed January 2006).
- Bottom, D. L., C. A. Simenstad, J. Burke, A. M. Baptista, D. A. Jay, K. K. Jones, E. Casillas, and M. H. Schiewe. 2005. Salmon at river's end: the role of the estuary in the decline and recovery of Columbia River salmon. U. S. Dept. Commerce, NOAA Tech. Memo. NMFS-NWFSC-68. Available online at URL: http://www.nwfsc.noaa.gov/assets/25/6294_09302005_153156_SARETM68Final.pdf (viewed January 2006).

- Boyd, M. J., and J. D. DeMartini. 1977. The intertidal and subtidal biota of Redwood National Park. Unpub. report submitted by Humboldt State University Foundation in fulfillment of National Park Service Contract CX8480-4-0665.
- Boyd, M. J., T. J. Mulligan, and F. J. Shaughnessy. 2002. Non-indigenous marine species of Humboldt Bay, California – a report to the California Department of Fish and Game. Humboldt State University, Arcata, CA. In: CDFG Office of Oil Spill Prevention and Response (OSPR): Report to the Legislature – a Survey of Nonindigenous Aquatic Species in the Coastal and Estuarine Waters of California.
- Brinson, M. M. 1993. Changes in the functioning of wetlands along environmental gradients. *Wetlands* 13:65-74.
- Brinson, M. M. 1993. A hydrogeomorphic classification for wetlands. U. S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS, USA. Technical Report WRP-DE-4.
- Brodeur, R. D. 1997. The importance of various spatial and temporal scales in the interaction of juvenile salmon and the marine environment. In R. L. Emmett and M.H. Schiewe (ed.), *Estuarine and ocean survival of Northeastern Pacific salmon: Proceedings of the workshop*. U. S. Dep. Commerce, NOAA Tech. Memo. NMFS-NWFSC-29, 313 pages. Paper available online at URL: <http://www.nwfsc.noaa.gov/publications/techmemos/tm29/papers/brodeur.htm> (viewed January 2006).
- Brodeur, R. D., G. W. Boehlert, E. Casillas, M. B. Eldridge, J. H. Helle, W. T. Peterson, W. R. Heard, S. T. Lindley, and M. H. Schiewe. 2000. A coordinated research plan for estuarine and ocean research on pacific salmon. *Fisheries* 25:7-16.
- Brown, S., C. Hickey, B. Harrington, and R. Gill, eds. 2001. *The U. S. shorebird conservation plan*, 2nd ed. Manomet Center for Conservation Sciences, Manomet, MA. [See URL: <http://www.fws.gov/shorebirdplan/> (viewed December 2005).]
- California Department of Fish and Game (CDFG), Marine Region. 2006. Poundage and Value of Landings by Port, Eureka Area During 2004 (and similar tables). Available online at <http://www.dfg.ca.gov/mrd/landings04.html> (viewed February 2006).
- California Department of Fish and Game (CDFG), Natural Diversity Database. April 2005. Special vascular plants, bryophytes, and lichens list. Quarterly publication, mimeo. 88 pp.
- California Department of Fish and Game (CDFG). 2004. Methods for determination of *Zostera marina* distribution in Humboldt Bay, California.
- California Department of Transportation (Caltrans) and Federal Highway Administration (FHWA). 2002. Humboldt Bay Bridges Seismic Substructure Retrofit Environmental Assessment/Finding of No Significant Impact (EA/FONSI).
- California Governor's Office of Planning and Research. 2003. General Plan Guidelines.

- California Natural Diversity Database (CDFG). 2003. RareFind 3. Wildlife and Habitat Data Analysis Branch, California Department of Fish and Game. Version 3.0.3 (data from September 2005). Sacramento, CA.
- Canning, D. J. 2001. Climate variability, climate change, and sea-level rise in Puget Sound: possibilities for the future. Publication from the Proceedings of the 2001 Puget Sound Research Conference, at URL: http://www.psat.wa.gov/Publications/01_proceedings/sessions/oral/2c_canni.pdf (viewed October 2005).
- Capblancq, J. 1990. Nutrient dynamics and pelagic food web interactions in oligotrophic and eutrophic environments: an overview. *Hydrobiologia* 207:1-14.
- Cayan, D., P. Bromirski, K. Hayhoe, M. Tyree, M. Dettinger, and R. Flick. 2005. Projecting future sea level. Draft white paper report, California Climate Change Center: CEC-500-202-SD. Available at URL: http://www.climatechange.ca.gov/climate_action_team/reports/index.html (viewed February 2006).
- City of Arcata. 2004. Draft Land Use Code. Available online at URL: <http://www.cmcaplans.com/arcata.html> (viewed February 2006).
- City of Arcata. 2000. General Plan 2020. Available online at URL: http://www.arcatacityhall.org/gen_plan.html (viewed February 2006).
- City of Eureka. 1997. General Plan. Mintier & Associates and others.
- City of Eureka. 1994. City of Eureka General Plan Background Report. Mintier & Associates and others (Final 1997).
- Cohen, A. N. 1998. Ships' ballast water and the introduction of exotic organisms into San Francisco Estuary: current status of the problem and options for management. San Francisco Estuary Institute, Richmond, CA.
- Colwell, M. A., and S. L. Dodd. 1995. Waterbird communities and habitat relationships in coastal pastures of northern California. *Conservation Biology* 9:827-834.
- Colwell, M. A., and S. L. Dodd. 1997. Environmental and habitat correlates of pasture use by non-breeding shorebirds. *Condor* 99:337-344.
- Cooper, C., R. Horner, J. Karr, B. Mar, C. May, J. Olthof, E. Welch, and A. Wyzga. 1997. Assessment of Cumulative Effects of Urbanization on Small Streams in the Puget Sound Lowland Ecoregion: A Summary Report of the Stream Quality Indices Project. *Washington Water Resource* 8(1):2-7; Center for Urban Water Resources Management, Department of Civil Engineering, University of Washington.
- Costa, S. L., and K. A. Glatzel. 2002. Humboldt Bay, California, entrance channel – report 1: data review. USACE Coastal Inlets Research Program ERDC/CHL CR-02-1; Vicksburg, MS.

- County of Humboldt. 2006. Samoa Town Master Plan Draft Master Environmental Impact Report. SCH # 2003052054.
- County of Humboldt. 2005. Humboldt County Redevelopment Plan Draft Environmental Impact Report. SCH# 2004122020.
- County of Humboldt. 1989. Humboldt County General Plan. Volume II – Humboldt Bay Area Plan of the Humboldt County Local Coastal Program.
- County of Humboldt. 1984. Humboldt County General Plan. Volume I – Framework Plan, as amended.
- Cowardin, L.M., V. Carter, F.C. Golet, and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States. Office of Biological Services, U.S. Fish and Wildlife Service FWS/OBS-79/31.
- Critchfield, W. B. 1978. The distribution, genetics, and silvics of lodgepole pine. In: Proceedings, International Union of Forestry Research Organizations (IUFRO) joint meeting of working parties. Vol. 1: Background papers and Douglas fir provenances. Victoria, BC: British Columbia Ministry of Forests. Pages 65-94.
- Curran, K. J., P. S. Hill, and T. G. Milligan. 2002. Fine-grained suspended sediment dynamics in the Eel River flood plume. *Continental Shelf Research* 22:2537-2550.
- Dahl, T. E. 2000. Status and trends of wetlands in the conterminous United States 1986 to 1997. U. S. Department of the Interior, Fish and Wildlife Service, Washington, D.C.
- Danufsky, T., and M. A. Colwell. 2003. Winter shorebird communities and tidal flat characteristics at Humboldt Bay, California. *Condor* 105:117-129.
- Deegan, L. A., and R. Garritt. 1997. Evidence for spatial variability in estuarine food webs. *Mar. Ecol. Prog. Ser.* 147:31-47.
- Derksen, D. K., and D. H. Ward. 1993. Life history and habitat needs of the black brant. Fish and Wildlife Leaflet 13.1.15, U. S. Geological Survey. Available at URL: http://www.nwrc.usgs.gov/wdb/pub/wmh/13_1_15.pdf (viewed December 2005).
- Doty, D. C., R. M. Buckley, and J.E. West. 1995. Identification and protection of nursery habitats for juvenile rockfish in Puget Sound, Washington. Puget Sound Research Proceedings, Vol. 1. Puget Sound Water Quality Authority.
- Dugan, J. E., D. M. Hubbard, M. D. McCrary, and M. O. Pierson. 2003. The response of macrofauna communities and shorebirds to macrophytes wrack subsidies on exposed sandy beaches of southern California. *Estuarine, Coastal and Shelf Science* 58 (Suppl. 1): 25-40.
- Dumbauld, B., B. Kaufman, J. Ruesink, D. Armstrong, S. Rumrill, V. Poulton, B. Semmens, G. Hosack, H. Macrellis, I. Fleming, P. Rosignol, H. Lee, and D. Cheney. 2004. The ecological role and potential impacts of molluscan shellfish culture in the

estuarine environment. Unpub presentation to HBHRCD Mariculture Monitoring Committee meeting, December 14, 2004.

Dunne, T., and L. B. Leopold. 1978. Water in environmental planning. W. H. Freeman and Company, San Francisco.

Dyett & Bhatia. 2002. Humboldt (County) 2025 General Plan Update Natural Resources and Hazards. A Discussion Paper for Community Workshops.

EDAW, Inc. 2005. Draft Environmental Assessment for the Humboldt Bay National Wildlife Refuge Ma-le1 Dunes Restoration. Prepared for the United States Fish and Wildlife Service (USFWS) and the California Department of Corrections.

Elsasser, A. B. 1986. The Site on Gunther Island (CA-HUM-67) in Humboldt Bay. In: A New Look at Some Old Sites, presented at the annual meeting of the Society for California Archaeology, March 23-26, 1983, San Diego, California. Coyote Press Archives of California Prehistory 6:49-54.

Elsasser, A. B. 1978. Wiyot. Pages 155-163, in: R. F. Heizer (ed.), Handbook of North American Indians, vol. 8: California. Smithsonian Institution, Washington DC.

Evans, R. A., Jr. 1994. Humboldt Bay numerical hydrodynamics and sedimentation study. Miscellaneous Paper HL-94-2. Waterways Experiment Station, U.S. Army Corps of Engineers, Vicksburg, MS.

Evenson, R. E. 1959. Geology and groundwater features of the Eureka area, Humboldt County, California. USGS Water Supply Paper 1470.

Falkner, M., L. Takata, and S. Gilmore. 2005. Report on the California Marine Invasive Species Program. Produced for the California State Legislature by the California State Lands Commission. Available at URL: http://www.slc.ca.gov/Division_Pages/MFD/MFD_Programs/Ballast_Water/Documents/2005%20Final%20Biennial%20Rpt%204-19-2005.pdf (viewed October 2000).

Federal Emergency Management Agency (FEMA). 1986. Flood insurance study (FIS) - Humboldt County, California (unincorporated areas).

Fennessy, M. S., A. D. Jacobs, and M. E. Kentula. 2004. Review of rapid methods for assessing wetland condition. EPA/620/R-04/009. U. S. Environmental Protection Agency, Washington, D.C. Available at URL: <http://www.epa.gov/owow/wetlands/monitor/RapidMethodReview.pdf> (viewed January 2006).

Field, C. B., G. C. Daily, F. W. Davis, S. Gaines, P. A. Matson, J. Melack, and N. L. Miller. 1999. Confronting climate change in California: ecological impacts on the Golden State. Union of Concerned Scientists, Cambridge, MA, and Ecological Society of America, Washington, DC.

- Flick, R. E., J. F. Murray, and L. C. Ewing. 2003. Trends in United States tidal datum statistics and tide range. *Journal of waterway, port, coastal, and ocean engineering*, July/August 2003:155-164.
- Franklin, J. F., and C. T. Dyrness. 1973. Natural vegetation of Oregon and Washington. USDA Forest Service General Technical Report PNW-8. Pacific Northwest Forest and Range Experiment Station, Portland, OR.
- Frederickson, D. A. 1984. The North Coast Region. In: M. J. Moratto (ed.), *California Archaeology*. Academic Press, Inc., New York.
- Fresh, K. L., E. Casillas, L. L. Johnson, and D. L. Bottom. 2005. Role of the estuary in the recovery of Columbia River basin salmon and steelhead: an evaluation of the effects of selected factors on salmonid population viability. U. S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-69.
- Galbraith, H., R. Jones, R. Park, J. Clough, S. Herrod-Julius, B. Harrington, and G. Page. 2002. Global climate change and sea level rise: potential losses of intertidal habitat for shorebirds. *Waterbirds* 25: 173-183.
- Gerstenberg, R. H. 1972. A study of shorebirds (Charadrii) in Humboldt Bay, California – 1968 to 1969. Unpub. M.S. thesis, Humboldt State College, Arcata, CA.
- Gleick, P. H., and E. P. Maurer. 1990. Assessing the costs of adapting to sea-level rise: a case study of San Francisco Bay. The Pacific Institute for Studies in Development, environment and Security; Berkeley, CA. [URL: http://www.pacinst.org/reports/sea_level_rise/ (viewed December 2005).]
- Geyer, W. R., P. Hill, T. Milligan, and P. Traykovski. 2000. The structure of the Eel River plume during floods. *Continental Shelf Research* 20:2067-2093.
- Guerry, A. D. 2005. Icarus and Daedalus: conceptual and tactical lessons for marine ecosystem-based management. *Front. Ecol. Environ.* 3:202-211.
- Haldorson, L. and L. J. Richards. 1986. Post-larval copper rockfish in the Strait of Georgia: Habitat use, feeding, and growth in the first year. In: *Proc. Int. Rockfish Symposium*. Alaska Sea Grant College Prgm., Anchorage, Alaska. 87-2:129-141.
- Harrington, B., and E. Perry. 1995. Important shorebird staging sites meeting Western Hemisphere Shorebird Reserve Network criteria in the United States. Manomet Observatory, for the U. S. Fish and Wildlife Service. [Current information regarding WHSRN is available at URL: <http://www.manomet.org/WHSRN/> (viewed December 2005).]
- Heizer, R. F., and A. B. Elsasser. 1964. Archaeology of HUM-67, the Gunther Island Site in Humboldt Bay, California. *University of California Archaeological Survey Reports* 62:50122.

- Hickey, C., W. D. Shuford, G. W. Page, and S. Warnock. 2003. Version 1.1. The southern Pacific shorebird conservation plan: a strategy for supporting California's central valley and coastal shorebird populations. PRBO Conservation Science, Stinson Beach, CA. Available at URL: <http://www.fws.gov/shorebirdplan/RegionalShorebird/downloads/SoPacificRev04.pdf> (viewed December 2005).
- Hildebrandt, W. R., and V. A. Levulett. 2003. Late Holocene Emergence of Advanced Maritime Cultures in Northwest California. Pages 300-316 in: J. Erlandson and T. Jones (ed.), *Archaeology of the California Coast*; UCLA Institute of Archaeology Perspectives in California.
- Hildebrandt, W. R., and J. M. Roscoe. 2003. Cultural Resources Evaluation Report for Point Saint George. Unpublished report on file with the County of Del Norte Department of Community Development, and Far Western Anthropological Research Group, Inc.
- Hobson, E. S., J. R. Chess, and D. F. Howard. 2001. Interannual variation in predation on first-year *Sebastes* spp. by three northern California predators. *Fishery Bull.* 99:292-302.
- Hoff, C. J. 1979. Bird use of agricultural lands around North Humboldt Bay, California. Unpub. M.S. thesis, Humboldt State University, Arcata, CA.
- Holland, R. F. 1986. Preliminary descriptions of the terrestrial natural communities of California. Unpublished report, Natural Heritage Division, California Department of Fish and Game, Sacramento.
- Howarth, R., D. Anderson, J. Cloern, C. Elfring, C. Hopkinson, B. Lapointe, T. Malone, N. Marcus, K. McGlathery, A. Sharpley, and D. Walker. 2000. Nutrient pollution of coastal rivers, bays, and seas. *Issues in Ecology* 7. Ecological Society of America. Washington, DC.
- Hughes, R. G. 2004. Climate change and loss of saltmarshes: consequences for birds. *Ibis* 146 (Suppl. 1):21-28.
- Humboldt Bay Harbor, Recreation and Conservation District, and U. S. Army Corps of Engineers, San Francisco District. 1995. Final Environmental Impact Statement/ Environmental Impact Report, Humboldt Harbor and Bay Deepening Navigation Project.
- Humboldt County Association of Governments (HCAOG). 2004. Humboldt County 2004 Regional Transportation Plan Update. Bauer & Associates, Inc. and VRPA Technologies, Inc.
- Hupp, C. R., and W. R. Osterkamp. 1985. Bottomland vegetation distribution along Passage Creek, Virginia, in relation to fluvial landforms. *Ecology* 66:670-681.

- Hupp, C. R., M. D. Woodside, and T. M. Yanosky. 1993. Sediment and trace element trapping in a forested wetland, Chickahominy River, Virginia. *Wetlands* 13:95-104.
- International Panel on Climate Change (IPCC). 2001. Climate change 2001: synthesis report – summary for policymakers. [See URL: <http://www.ipcc.ch/pub/un/syrenng/spm.pdf> (viewed December 2005).]
- Jackson, E. L., A. A. Rowden, M. J. Attrill, S. J. Bossey, and M. B. Jones. 2001. The importance of seagrass beds as a habitat for fishery species. *Oceanography and marine biology: an annual review* 39:269-303.
- Johnson, A. W., and J. E. Caldwell. 1995. Analysis and development of fisheries habitat and stormwater management options for an urban stream. Pages 329-338, in: E. E. Herricks (ed.), *Stormwater runoff and receiving systems: impact, monitoring, and assessment*; Lewis/CRC, Boca Raton, FL.
- Johnson, S. W., M. L. Murphy, D. J. Csepp, P. M. Harris, and J. F. Thedinga. 2003. A survey of fish assemblages in eelgrass and kelp habitats in southeastern Alaska. NOAA Tech. Memo. NMFS-AFSC-139.
- Kantrud, H. A., G. L. Krapu, and G. A. Swanson. 1989. Prairie basin wetlands of the Dakotas: A community profile. U. S. Fish and Wildlife Service, Biological Report 85(7.28). Jamestown, ND: Northern Prairie Wildlife Research Center Home Page. <http://www.npwrc.usgs.gov/resource/othrdata/basinwet/basinwet.htm>. (Version 16 JUL 97). (Viewed January 2005)
- Kappel, C. V. 2005. Losing pieces of the puzzle: threats to marine, estuarine, and diadromous species. *Front. Ecol. Environ.* 3:275-282.
- Keller, C. M. E., C. S. Robbins, and J. S. Hatfield. 1993. Avian communities in riparian forests of different widths in Maryland and Delaware. *Wetlands* 13:137-144.
- Kelly, J. F. 1987. Habitat relationships among riparian forest birds in the Eel River delta, California. Unpub. M.S. thesis, Humboldt State Univ., Arcata.
- Kimmerer, W. J., D. D. Murphy, and P. L. Angermeier. 2005. A landscape-level model for ecosystem restoration in the San Francisco Estuary and its watershed. *San Francisco Estuary and Watershed Science*. Vol. 3, Issue 1 (March 2005), Article 2. <http://repositories.cdlib.org/jmie/sfews/vol3/iss1/art2>. (Viewed March 2005.)
- Kitting, C. L., B. Fry, and M. D. Morgan. 1984. Detection of inconspicuous epiphytic algae supporting food webs in seagrass meadows. *Oecologia* 62:145-149.
- Koebig and Koebig. 1975. Humboldt Bay Master Plan. Prepared for the Humboldt Bay Harbor, Recreation and Conservation District under a grant from the U.S. Department of Commerce, Economic Development Administration.
- Kowinski, W. S. 2004. In 1860 six murderers nearly wiped out the Wiyot Indian tribe – in 2004 its members have found ways to heal. *San Francisco Chronicle*. Available

online at URL: <http://www.sfgate.com/cgi-bin/article.cgi?f=/c/a/2004/02/28/DDG5Q59D8J1.DTL&hw=Kowinski+2004&sn=008&sc=572> (viewed January 2006).

- Kramer, G. W., L. R. Rauen, and S. W. Harris. 1979. Populations, hunting mortality and habitat use of black brant at San Quintin Bay, Baja California, Mexico. Pages 242-254 in: R. L. Jarvis and J. C. Bartonek (ed.), Proceedings of the symposium on management and biology of Pacific Flyway geese. Northwest Section, The Wildlife Society, Washington, D.C.
- Kroeber, A. L. 1925. Handbook of the Indians of California. Bulletin 78, Bureau of Amer. Ethnology, Smithsonian Institution, Washington DC. Republished 1976, Dover Publications, New York.
- Kwak, T. J., and J. B. Zedler. 1997. Food web analysis of southern California coastal wetlands using multiple stable isotopes. *Oecologia* 110:262-277.
- Leppig, G., and A. Pickart. 2005. Vascular plants of Humboldt Bay dunes and wetlands. Release 1.1. U. S. Fish and Wildlife Service and California Department of Fish and Game.
- Likens, G. E. 2004. Some perspectives on long-term biogeochemical research from the Hubbard Brook Ecosystem Study. *Ecology* 85:2355-2362.
- Likens, G. E., F. H. Bormann, R. S. Pierce, J. S. Eaton, and N. M. Johnson. 1977. Biogeochemistry of a forested ecosystem. Springer-Verlag, New York.
- Link, J. 2002. Does food web theory work for marine ecosystems? *Mar. Ecol. Prog. Ser.* 230:1-9.
- Long, L. L., and C. J. Ralph. 2001. Dynamics of habitat use by shorebirds in estuarine and agricultural habitat in northwestern California. *Wilson Bull.* 113:41-52.
- Loud, L. L. 1918. Ethnogeography and Archaeology of the Wiyot Territory. *Univ. California Publ. Amer. Archaeol. Ethnol.* 14:238-426.
- Love, M. S., M. H. Carr, and L. J. Halderson. 1991. The ecology of substrate-associated juveniles of genus *Sebastes*. *Environmental Biology Fishes* 30:225-243.
- Love, M. S., M. Yoklavich, and L. Thorsteinson. 2002. The rockfishes of the Northeast Pacific. Univ. California Press, Berkeley.
- Lynch, K., and G. Hack. 1985. Site Planning, Third Edition. Massachusetts Institute of Technology Press, Cambridge, MA.
- Maidment, D. R. (ed.). 1993. Handbook of hydrology. McGraw-Hill Publishers, New York.
- Main, K. L. 1987. Predator avoidance in seagrass meadows: prey behavior, microhabitat selection, and cryptic coloration. *Ecology* 68:170-180.

- Matthews, K. R. 1990a. An experimental study of the habitat preferences and movement patterns of copper, quillback, and brown rockfishes (*Sebastes* spp.). *Envir. Biol. Fish.* 29:161-178.
- Matthews, K. R. 1990b. A comparative study of habitat use by young-of-the-year, and adult rockfishes on four habitat types in central Puget Sound. *Fish. Bull.* 88: 223-239.
- Matthews, K. R. 1990c. A telemetric study of the home ranges and homing routes of copper and quillback rockfishes on shallow rocky reefs. *Can. J. Zool.* 68: 2243-2250.
- Micheli, F., and C. H. Peterson. 1999. Estuarine vegetated habitats as corridors for predator movements. *Conservation Biology* 13:869-881.
- Minton, M. S., E. Verling, A. W. Miller, and G. M. Ruiz. 2005. Reducing propagule supply and coastal invasions via ships: effects of emerging strategies. *Front. Ecol. Environ.* 3:304-308.
- Mitsch, W. J., and J. G. Gosselink. 2000. *Wetlands* (Third Ed.). John Wiley & Sons, New York.
- Monroe, G. W. 1973. The natural resources of Humboldt Bay. California Department of Fish and Game Coastal Wetland Series number 6.
- Morrison, M. L., B. G. Marcot, and R. W. Mannan. 1992. *Wildlife-habitat relationships – concepts and applications*. University of Wisconsin Press, Madison, WI.
- Mount, J. F. 1995. *California rivers and streams – the conflict between fluvial process and land use*. Univ. California Press, Berkeley.
- Murphy, M. L., S. W. Johnson, and D. J. Csepp. 2000. A comparison of fish assemblages in eelgrass and adjacent subtidal habitats near Craig, Alaska. *Alaska Fishery Research Bull.* 7:11-21.
- Naiman, R. J., H. Decamps, and M. Pollock. 1993. The role of riparian corridors in maintaining regional biodiversity. *Ecological Applications* 3:209-212.
- National Marine Fisheries Service (NMFS). 2005. Biological Opinion and Essential Fish Habitat consultation letter and enclosures to San Francisco District, U. S. Army Corps of Engineers, Coast Seafoods application (reference: 151422SWR1998AR33:IL).
- National Research Council. 2002. *Riparian areas – functions and strategies for management*. National Academy Press, Washington, DC.
- Neumann, J. E., G. Yohe, R. Nicholls, and M. Manion. 2000. Sea level rise and global climate change: a review of impacts to U. S. coasts. Pew Center of Global Climate Change. [See URL: <http://www.pewclimate.org/docUploads/env%5Fsealevel%2Epdf> (viewed December 2005).]

- Nomland, G. A., and A. L. Kroeber. 1936. Wiyot towns. Univ. California Publ. Amer. Archaeol. Ethnol. 35(5):39-48.
- Noss, R. F., and A. Y. Cooperrider. 1994. Saving nature's legacy – protecting and restoring biodiversity; Island Press, Covelo CA.
- Nightingale, B., and C. A. Simenstad. 2001. Overwater structures: marine issues. White paper, Research Project T1803, Task 35. Prepared for Washington State Transportation Commission. 133 p. and 2 appendices.
- Orth, R. J., K. L. Heck, and J. van Montfrans. 1984. Faunal communities in seagrass beds: a review of the influence of plant structure and prey characteristics on predator-prey relationships. *Estuaries* 7:339-350.
- Pacific Fishery Management Council (PFMC). 1999. Amendment 14 to the Pacific coast salmon plan. Appendix A: Description and identification of essential fish habitat, adverse impacts and recommended conservation measures for salmon. Portland, OR.
- Pacific Flyway Council. 2002. Pacific Flyway management plan for Pacific brant. Pacific Flyway Study Comm., Portland, OR. Unpub. Rept. 40 pp + appendices.
- Pacific Gas and Electric Company (PG&E). 2002. Seismic Hazard Assessment for the Humboldt Bay ISFSI Project. Humboldt Bay ISFSI Project - Technical Report TR – HBIP-2002-01.
- Pasten, G. P., S. Katayama, and M. Omori. 2003. Timing of parturition, planktonic duration and settlement patterns of the black rockfish, *Sebastes inermis*. *Environmental Biology of Fishes* 68:229-239.
- PB Ports & Marine (Parsons Brinckerhoff Quade & Douglas). 2003a. Port of Humboldt Bay Harbor Revitalization Plan.
- PB Ports & Marine (Parsons Brinckerhoff Quade & Douglas). 2003b. The Long Term Financial and Economic Feasibility of the Northwestern Pacific Railroad.
- Peterjohn, W. T., and D. L. Correll. 1984. Nutrient dynamics in an agricultural watershed: observations on the role of a riparian forest. *Ecology* 65:1466-1475.
- Peterson, B. J., R. W. Howarth, and R. H. Garritt. 1985. Multiple stable isotopes used to trace the flow of organic matter in estuarine food webs. *Science* 227:1361-1363.
- Pew Oceans Commission. 2003. America's living oceans: charting a course for sea change – a report to the nation and recommendations for a new ocean policy. Available online at URL: http://www.pewtrusts.org/pdf/env_pew_oceans_final_report.pdf (viewed February 2006).

- Phillips, R. C. 1984. The ecology of eelgrass meadows in the Pacific Northwest: a community profile. U. S. Fish and Wildlife Service. FWS/OBS-84/24.
- Pikitch, E. K., C. Santora, E. A. Babcock, A. Bakun, R. Bonfil, D. O. Conover, P. Dayton, P. Doukakis, D. Fluharty, B. Heneman, E. D. Houde, J. Link, P. A. Livingston, M. Mangel, M. K. McAllister, J. Pope, and K. J. Sainsbury. 2004. Ecosystem-based fishery management. *Science* 305:346-347.
- Pinnix, W. D., T. W. Shaw, K. C. Acker, and N. J. Hetrick. 2005. Fish communities in eelgrass, oyster culture, and mudflat habitats of north Humboldt Bay, California. Final Report. Arcata Fisheries Technical Report Number TR2005-02.
- Pitt, R. E. 1995. Biological effects of urban runoff discharges. Pages 127-162, in: E. E. Herricks (ed.), *Stormwater runoff and receiving systems: impact, monitoring, and assessment*; Lewis/CRC, Boca Raton, FL.
- Proctor, C. M., et al. 1980. An ecological characterization of the Pacific Northwest Coastal region. 5 volumes. U. S. Fish & Wildlife Service, Biological Services Program. FWS/OBS-79/11 through 79/15.
- Prahl, F. G., L. F. Small, B. A. Sullivan, J. Cordell, C. A. Simenstad, B. C. Crump, and J. A. Baross. 1997. Biogeochemical gradients in the lower Columbia River. *Hydrobiologia* 361:37-52.
- Pullen, J. D., and J. S. Allen. 2000. Modeling studies of the coastal circulation off northern California: shelf response to a major Eel River flood event. *Continental Shelf Research* 20:2213-2238.
- Pullen, J. D., and J. S. Allen. 2001. Modeling studies of the coastal circulation off northern California: statistics and patterns of wintertime flow. *Journal of Geophysical Research* 106:26959-26984.
- Rhoads, B. L. 1995. Stream power: a unifying theme for urban fluvial geomorphology. Pages 65-75, in: E. E. Herricks (ed.), *Stormwater runoff and receiving systems: impact, monitoring, and assessment*; Lewis/CRC, Boca Raton, FL.
- Roberts, R. C. 1992. Biological conditions in the Eel River delta – a status report of conditions in the early 1990s. Report prepared for the Eel River Resource Conservation District and the State Coastal Conservancy. Eureka, CA.
- Roni, P. L. A., A Weitkamp, and J. Scordino. 1999. Identification of essential fish habitat for salmon in the Pacific Northwest: initial efforts, information needs, and future directions. Pages 93-107 in L. Benaka (ed.), *Fish habitat: essential fish habitat and rehabilitation*; American Fisheries Society, Bethesda, MD.
- Rumrill, S. S., and V. K. Poulton. 2004. Ecological role and potential impacts of molluscan shellfish culture in the estuarine environment of Humboldt Bay, CA. Annual Report, November 2004. Unpublished report for Western Regional

Aquaculture Center. Oregon Dept. of State Lands, South Slough Natural Estuarine Research Reserve, Charleston, OR.

Sawyer, J. O, and T. Keeler-Wolf. 1995. A manual of California vegetation. California Native Plant Society, Sacramento.

Schabetsberger, R., C. A. Morgan, R. D. Brodeur, C. L. Potts, W. T. Peterson, and R. L. Emmett. 2003. Prey selectivity and diel feeding chronology of juvenile chinook (*Oncorhynchus tshawytscha*) and coho (*O. kisutch*) salmon in the Columbia River plume. *Fisheries Oceanography* 12:523-540.

Schexnayder, C., and J Ernzen. 2004. Effective noise control during nighttime construction. PowerPoint presentation, Available online at URL: <http://ops.fhwa.dot.gov/wz/workshops/originals/Schexnayder.ppt#41> (Viewed February 2006).

Schlорff, R. W. 1978. Predatory ecology of the great egret at Humboldt Bay, California. Unpub. M.S. thesis, Humboldt State University, Arcata, CA.

Schmidt, R. J., and S. J. Holbrook. 1985. Patch selection by juvenile black surfperch (Embiotocidae) under variable risk: interactive influence of food quality and structural complexity. *J. Exp. Mar. Biol. Ecol.* 85:269-285.

Schneider, C., and Sprecher, S. W. 2000. Wetlands management handbook, ERDC/EL SR-00-16, U.S. Army Engineer Research and Development Center, Vicksburg, MS.

Shreffler, D. K., C. A. Simenstad, and R. M. Thom. 1990. Temporary residence by juvenile salmon in a restored estuarine wetland. *Canadian J. Fish. Aquat. Sci.* 47(11):2079-2084.

Shapiro and Associates, Inc. 1980. Humboldt Bay wetlands review and baylands analysis. Report prepared in three volumes for the U.S. Army Corps of Engineers, San Francisco District; contract number DACW07-78-C-0082.

Shuford, W. D., and D. P. Craig. 2002. Status Assessment and Conservation recommendations for the Caspian Tern (*Sterna Caspia*) in North America. U. S. Department of the Interior, Fish and Wildlife Service, Portland, OR. Available online at URL: <http://www.prbo.org/cms/docs/wetlands/catereport.pdf> (viewed February 2006.)

Simenstad, C. A., L. F. Small, and C. D. McIntire. 1990. Consumption processes and food web structure in the Columbia River estuary. *Progress in Oceanography* 25:271-297.

Simenstad, C. A., and R. C. Wissmar. 1985. Delta¹³C evidence of the origins and fates of organic carbon in estuarine and nearshore food webs. *Marine Ecology* 22:141-152.

Smith, R. D., A. Ammann, C. Bartoldus, and M. Brinson. 1995. An approach for assessing wetland functions using hydrogeomorphic classification, reference wetlands,

and functional indices. U. S. Army Corps of Engineers, Waterways Experiment Station, Vicksburg, MS, USA. Technical Report WRP-DE-9.

Springer, P. S. 1982. The bird and mammal resources of Humboldt Bay. Pages 60-67 in: C. Toole and C. Diebel (ed.), Proceedings of the Humboldt Bay Symposium, March 26, 1982; Humboldt Bay Symposium Committee and the HSU Center for Community Development.

Steinmetz, J. S. L. Kohler, and D. A. Soluk. 2003. Birds are overlooked top predators in aquatic food webs. *Ecology* 84:1324-1328.

Summerson, H. C., and C. H. Peterson. 1984. Role of predation in organizing benthic communities of a temperate-zone seagrass bed. *Marine Ecology Progress Series* 15:63-77.

Thayer, G. W., and R. C. Phillips. 1977. Importance of eelgrass beds in Puget Sound. *Mar. Fish Rev.* 39:18-22.

Thieler, E. R., and E. S. Hammar-Klose. 2000. National assessment of coastal vulnerability to sea-level rise: preliminary results for the U. S. pacific coast. U. S. Geological Survey. (See URL: <http://pubs.usgs.gov/dds/dds68/reports/westrep.pdf>; viewed December 2005).

Thom, R. M., A. B. Borde, S. L. Blanton, D. L. Woodruff, and G. D. Williams. 2001. The influence of climate variation and change on structure and processes in nearshore vegetated communities of Puget Sound and other northwest estuaries. Publication from the Proceedings of the 2001 Puget Sound Research Conference, at URL: http://www.psat.wa.gov/Publications/01_proceedings/sessions/sess_2c.htm (viewed October 2005).

Thom, R. M., A. B. Borde, G. D. Williams, J. A. Southard, S. L. Blanto, and D. L. Woodruff. 2001. Effects of multiple stressors on eelgrass restoration projects. Publication from the Proceedings of the 2001 Puget Sound Research Conference, at URL: http://www.psat.wa.gov/Publications/01_proceedings/sessions/oral/7b_thom.pdf (viewed October 2005).

Thom, R. M., C. A. Simenstad, J. R. Cordell, and E. O. Salo. 1989. Fish and their epibenthic prey in a marina and adjacent mudflats and eelgrass meadow in a small estuarine bay. University of Washington. FRI-UW-8901.

Thomas, J. W. (tech. ed.). 1979. Wildlife habitats in managed forests: the Blue Mountains of Oregon and Washington. U. S. Department of Agriculture Forest Service Agriculture Handbook No. 553.

Tiner, R. W. 2005. Assessing cumulative loss of wetland functions in the Nanticoke River watershed using enhanced National Wetlands Inventory data. *Wetlands* 25:405-419.

- Topozada, T., G. Borchardt, W. Haydon, and M. Petersen. 1995. Planning scenario in Humboldt and Del Norte counties, California, for a great earthquake on the Cascadia Subduction Zone. California Department of Conservation, Division of Mines and Geology, Special Publication 115.
- Traykovski, P., W. R. Geyer, J. D. Irish, and J. F. Lynch. 2000. The role of wave-induced density-driven fluid mud flows for cross-shelf transport on the Eel River continental shelf. *Continental Shelf Research* 20:2113-2140.
- United States Army Corps of Engineers. 2006. Draft Programmatic 5-Year Environmental Assessment – Humboldt Harbor and Bay Operations and Maintenance Dredging. San Francisco District. Available online at <http://www.spn.usace.army.mil/projects/humboldtbaymaintenancedredging.pdf> (viewed February 2006).
- United States Army Corps of Engineers, Navigation Data Center. 2004. Waterborne Commerce of the United States. Calendar year 2003. Waterways and Harbors – Pacific Coast, Alaska and Hawaii (and similar reports). Available online at <http://www.iwr.usace.army.mil/ndc/wcsc/wcsc.htm> (viewed February 2006).
- United States Bureau of Land Management. 2002. South Spit Interim Management Plan; Arcata Field Office.
- United States Commission on Ocean Policy. 2004. An ocean blueprint for the 21st century. Final Report. Washington, DC. Available online at URL: http://www.oceancommission.gov/documents/full_color_rpt/welcome.html (viewed February 2006).
- United States Department of the Interior, National Park Service. 2004. Fiscal Year 2004 Historic Preservation Fund Grants to Indian Tribes, Alaskan Natives and Native Hawaiian Organizations. National Park Service, Heritage Preservation Services, Tribal Preservation Program.
- United States Environmental Protection Agency. 2004. Brownfields 2004 Grant Fact Sheet. Available online at URL: www.epa.gov/brownfields (viewed January 2006).
- United States Environmental Protection Agency. 1993. Guidance specifying management measures for sources of nonpoint pollution in coastal waters. EPA-840-B-92-002.
- United States Environmental Protection Agency. 1971. Noise from Construction Equipment and Operations, Building Equipment, and Home Appliances. NTID 300.1. Prepared under contract by Bolt, Baranek, and Newman
- United States Fish and Wildlife Service, National Marine Fisheries Service, and California Department of Forestry and Fire Protection. 1999. Final Environmental Impact Statement/Environmental Impact Report for the Headwaters Forest Acquisition and the PALCO Sustained Yield Plan and Habitat Conservation Plan.

- Van Kirk, S. 1999. Humboldt County: A Briefest of Histories. Prepared for the Shades of Humboldt Project, Humboldt County Library. Available online at URL: <http://humboldthistory.org> (viewed January 2006).
- Ward, D. H., A. Reed, J. S. Sedinger, J. M. Black, D. V. Derksen, and P. M. Castelli. 2005. North American brant: effects of changes in habitat and climate on population dynamics. *Global Climate Biology* 11:869-880.
- West, J. E., R. M. Buckley, and D. C. Doty. 1994. Ecology and habitat use of juvenile rockfishes (*Sebastes* spp.) associated with artificial reefs in Puget Sound, Washington. *Bull. Mar. Sci.* 55:344-350.
- Wilson, U. W., and J. B. Atkinson. 1995. Black brant winter and spring-staging use at two Washington coastal areas in relation to eelgrass abundance. *Condor* 97:91-98.
- Winter, T. C., J. W. Harvey, O. L. Franke, and W. M. Alley. 1998. Ground water and surface water – a single resource. U. S. Geological Survey Circular 1139; Denver, CO.
- Wiyot tribe website. 2006. URL: <http://www.wiyot.com/> (viewed January 2006).
- Wonham, M. J., and J. T. Carlton. 2005. Trends in marine biological invasions at local and regional scales: the Northeast Pacific Ocean as a model system. *Biol. Invasions* 7:369-392. Available online at <http://www.math.ualberta.ca/~mwonham/reprints/Wonham&Carlton.2005.NEP.pdf> (viewed February 2006).
- Wonham, M. J., M. A. Lewis, and H. J. MacIsaac. 2005. Minimizing invasion risk by reducing propagule pressure: a model for ballast-water exchange. *Front. Ecol. Environ.* 3:473-478.
- Wyda, J. C., L. A. Deegan, J. E. Hughes, and M. J. Weaver. 2002. The response of fishes to submerged aquatic vegetation complexity in two ecoregions of the Mid-Atlantic Bight: Buzzards Bay and Chesapeake Bay. *Estuaries* 25:86-100.

17.2 PERSONS CONSULTED

The following persons were consulted regarding subject material covered in this EIR; and these persons provided information that affected the content of the EIR.

Davis, Andrea. Table Bluff Reservation–Wiyot Tribe. Personal communications; February 2006.

Schlosser, Susan. Marine Advisor, University of California Cooperative Extension, Eureka, California.

Shikany, Lisa. Environmental Planner, City of Eureka, California.